

Appendix

List of Publications

【Basic Survey】

No.	Title	First Author
1	Measurements of Individual radiation doses in residents living around the Fukushima Nuclear Power Plant	NAGATAKI Shigenobu
2	Fukushima Health Management Data: external radiation dose estimates	SAKAI Akira
3	A brief review of dose estimation studies conducted after the Fukushima Daiichi Nuclear Power Plant accident	ISHIKAWA Tetsuo
4	An overview of internal dose estimation using whole-body counters in Fukushima Prefecture	MIYAZAKI Makoto
5	Progress in estimation of dose due to the Fukushima Daiichi Nuclear Power Plant accident	ISHIKAWA Tetsuo
6	The Fukushima Health Management Survey : estimation of external doses to residents in Fukushima Prefecture	ISHIKAWA Tetsuo
7	Dose Estimation of Radiation Exposure for Fukushima Residents after the Fukushima Dai-Ichi NPP Accident: Validity and Reliability of New Simplified Questioner for Dose Estimation	HAYASHI Masayuki
8	An influential factor for external radiation dose estimation for residents after the Fukushima Daiichi Nuclear Power Plant accident - time spent outdoors for residents in Iitate Village	ISHIKAWA Tetsuo
9	Internal thyroid doses to Fukushima residents - estimation and issues remaining	KIM Eunjoo
10	EXTERNAL AND INTERNAL EXPOSURE TO FUKUSHIMA RESIDENTS	KAMIYA Kenji
11	Radiation doses and associated risk from the Fukushima nuclear accident: a review of recent publications	ISHIKAWA Tetsuo
12	Representativeness of individual external doses estimated for one quarter of residents in the Fukushima Prefecture after the nuclear disaster: The Fukushima Health Management Survey	ISHIKAWA Tetsuo
13	Early Intake of Radiocesium by Residents Living Near the TEPCO Fukushima Dai-ichi Nuclear Power Plant After the Accident. Part 2: Relationship Between Internal Dose and Evacuation Behavior in Individuals	KUNISHIMA Naoaki
14	Development of a tool for calculating early internal doses in the Fukushima Daiichi nuclear power plant accident based on atmospheric dispersion simulation	KURIHARA Osamu
15	Chapter13 - A Review of Studies on Thyroid Dose Estimation After the Fukushima Accident	ISHIKAWA Tetsuo
16	External Dose Estimation in an Early Stage after the Fukushima Daiichi Nuclear Power Plant Accident -Lessons Learned from Behavior Surveys Using Self-Administered Questionnaires	ISHIKAWA Tetsuo
17	Experience in individual dose estimation after the Fukushima nuclear accident using self-administered questionnaires -activities to encourage responses to the questionnaires and resulting response rate-	ISHIKAWA Tetsuo
18	The latest update on individual external doses in an early stage after the Fukushima nuclear accident	ISHIKAWA Tetsuo

No.	Title	First Author
19	Age dependence of individual external doses in an early stage after the Fukushima nuclear accident	ISHIKAWA Tetsuo
20	Individual Doses to the Public after the Fukushima Nuclear Accident	ISHIKAWA Tetsuo
21	Reconstruction of residents' thyroid equivalent doses from internal radionuclides after the Fukushima Daiichi nuclear power station accident	OHBA Takashi
22	Difference in the Cesium Body Contents of Affected Area Residents Depending on the Evacuation Timepoint Following the 2011 Fukushima Nuclear Disaster	IGARASHI Yu
23	Estimation of the Early Cs-137 Intake of Evacuees from Areas Affected by the 2011 Fukushima Daiichi Nuclear Power Plant Accident Based on Personal Behavioral Data and the Latest Atmospheric Transport and Dispersion Model Simulation	KIM Eunjoo
24	External doses available for epidemiological studies related to the Fukushima Health Management Survey: First four-month individual doses and municipality-average doses for the first year	ISHIKAWA Tetsuo
25	Estimation of the thyroid equivalent doses to residents in areas affected by the 2011 Fukushima nuclear disaster due to inhalation of ^{131}I based on their behavioral data and the latest atmospheric transport and dispersion model simulation	KIM Eunjoo
26	Radiation dose after the disaster	ISHIKAWA Tetsuo

【Thyroid Ultrasound Examination】

No.	Title	First Author
1	Risk of thyroid cancer after the Fukushima nuclear power plant accident	YAMASHITA Shunichi
2	Age Distribution of Childhood Thyroid Cancer Patients in Ukraine After Chernobyl and in Fukushima After the TEPCO-Fukushima Daiichi NPP Accident	Mykola D. Tronko
3	Prevalence of thyroid nodular lesions in children and adolescents	SHIMURA Hiroki
4	Prevalence of ectopic intrathyroidal thymus in Japan: the Fukushima Health Management Survey	FUKUSHIMA Toshihiko
5	Systematic determination of thyroid volume by ultrasound examination from infancy to adolescence in Japan: The Fukushima Health Management Survey	SUZUKI Satoru
6	The protocol and preliminary baseline survey results of the thyroid ultrasound examination in Fukushima	SUZUKI Shinichi
7	Childhood and Adolescent Thyroid Cancer in Fukushima after the Fukushima Daiichi Nuclear Power Plant Accident: 5 Years On	SUZUKI Shinichi
8	After Fukushima: Addressing anxiety (letter)	MIDORIKAWA Sanae
9	Re : Thyroid Cancer Among Young People in Fukushima (letter)	TAKAHASHI Hideto
10	Inappropriate Suppression of Thyrotropin Concentrations in Young Patients with Thyroid Nodules Including Thyroid Cancer: The Fukushima Health Management Survey.	SUZUKI Satoru
11	Comprehensive Survey Results of Childhood Thyroid Ultrasound Examinations in Fukushima in the First Four Years After the Fukushima Daiichi Nuclear Power Plant Accident	SUZUKI Shinichi
12	Comparison of childhood thyroid cancer prevalence among 3 areas based on external radiation dose after the Fukushima Daiichi nuclear power plant accident : The Fukushima health management survey	OHIRA Tetsuya
13	Explanatory Meetings on Thyroid Examination for the "Fukushima Health Management Survey" after the Great East Japan Earthquake: Reduction of Anxiety and Improvement of Comprehension	HINO Yuko
14	The Authors Respond	TAKAHASHI Hideto
15	Psychosocial Issues Related to Thyroid Examination After a Radiation Disaster	MIDORIKAWA Sanae
16	Prevalence and Characterization of Thyroid Hemiogenesis in Japan: The Fukushima Health Management Survey	SUZUKI Satoru
17	Simulation of expected childhood and adolescent thyroid cancer cases in Japan using a cancer-progression model based on the National Cancer Registry: Application to the first-round thyroid examination of the Fukushima Health Management Survey	TAKAHASHI Hideto
18	Chapter 14- Five-Year Interim Report of Thyroid Ultrasound Examinations in the Fukushima Health Management Survey	OHTSURU Akira
19	The Features of Childhood and Adolescent Thyroid Cancer After the Fukushima Nuclear Power Plant Accident	SUZUKI Shinichi
20	Chapter 16- Psychosocial Impact of the Thyroid Examination of the Fukushima Health Management Survey	MIDORIKAWA Sanae

No.	Title	First Author
21	Lessons from Fukushima: Latest Findings of Thyroid Cancer After the Fukushima Nuclear Power Plant Accident	YAMASHITA Shunichi
22	Spatial analysis of the geographical distribution of thyroid cancer cases from the first-round thyroid ultrasound examination in Fukushima Prefecture	NAKAYA Tomoki
23	Comparative Analysis of the Growth Pattern of Thyroid Cancer in Young Patients Screened by Ultrasonography in Japan After a Nuclear Accident :The Fukushima Health Management Survey	MIDORIKAWA Sanae
24	Findings of thyroid ultrasound examination within three years after the Fukushima Nuclear Power Plant accident: The Fukushima Health Management Survey	SHIMURA Hiroki
25	Results of the first-round thyroid examination of the Fukushima Health Management Survey	TAKAHASHI Hideto
26	Associations Between Childhood Thyroid Cancer and External Radiation Dose After the Fukushima Daiichi Nuclear Power Plant Accident	OHIRA Tetsuya
27	Investigation of thyroid cancer cases that were not detected in the Thyroid Ultrasound Examination program of the Fukushima Health Management Survey but diagnosed at Fukushima Medical University Hospital	YOKOYA Susumu
28	Factors influencing the proportion of non-examinees in the Fukushima Health Management Survey for childhood and adolescent thyroid cancer: Results from the baseline survey	TAKAHASHI Kunihiko
29	External Radiation Dose, Obesity, and Risk of Childhood Thyroid Cancer After the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey	OHIRA Tetsuya
30	Incidence of Thyroid Cancer Among Children and Young Adults in Fukushima, Japan, Screened With 2 Rounds of Ultrasonography Within 5 Years of the 2011 Fukushima Daiichi Nuclear Power Station Accident	OHTSURU Akira
31	How to be Considerate to Patients with Thyroid Nodules: Lessons from the Pediatric Thyroid Cancer Screening Program in Fukushima After the Nuclear Plant Accident	MIDORIKAWA Sanae
32	Thyroid Cancer Screening Program in Fukushima After the Nuclear Plant Accident.	OHTSURU Akira
33	An Accurate Picture of Fukushima's Thyroid Ultrasound Examination Program	SHIMURA Hiroki
34	Absorbed radiation doses in the thyroid as estimated by UNSCEAR and subsequent risk of childhood thyroid cancer following the Great East Japan Earthquake	OHIRA Tetsuya
35	Nested matched case control study for the Japan Fukushima Health Management Survey's first full-scale (second-round) thyroid examination	TAKAHASHI Hideto
36	Cytological examination of the thyroid in children and adolescents after the Fukushima Nuclear Power Plant accident: The Fukushima Health Management Survey	SAKAMOTO Atsuhiko
37	Psychosocial support for the examinees and their families during the secondary confirmatory examination-Analyses of support records at first visit-	SETOU Noriko

No.	Title	First Author
38	Revisiting the geographical distribution of thyroid cancer incidence in Fukushima Prefecture: analysis of the data from the second and third round ultrasound examinations of the Fukushima Health Management Survey	NAKAYA Tomoki
39	Fine Needle Aspiration Cytology Implementation and Malignancy Rates in Children and Adolescents Based on Japanese Guidelines: The Fukushima Health Management Survey	SHIMURA Hiroki
40	Psychosocial Support for Anxiety related to Thyroid Cancer ~A team approach during the Secondary Confirmatory Examination in Thyroid Ultrasound Examination (TUE)~	SETOU Noriko
41	Thyroid ultrasound examination program to address health concerns of Fukushima residents after the nuclear accidents	MATSUZUKA Takashi

【Comprehensive Health Check】

No.	Title	First Author
1	Life as an evacuee after the Fukushima Daiichi Nuclear Power Plant accident is a cause of polycythemia: The Fukushima Health Management Survey	SAKAI Akira
2	The basic data for residents aged 16 years or older who received a comprehensive health check examinations in 2011-2012 as a part of the Fukushima Health Management Survey after the great East Japan earthquake	KAWASAKI Yukihiro
3	White blood cell, Neutrophil, and Lymphocyte Counts in Individuals in the evacuation zone designated by the government After the Fukushima Daiichi Nuclear Power Plant accident: The Fukushima Health Management Survey	SAKAI Akira
4	Increased prevalence of atrial fibrillation after the Great East Japan Earthquake: Results from the Fukushima Health Management Survey	SUZUKI Hitoshi
5	THE BASIC DATA FOR RESIDENTS AGED 15 YEARS OR YOUNGER WHO RECEIVED A COMPREHENSIVE HEALTH CHECK IN 2011-2012 AS A PART OF THE FUKUSHIMA HEALTH MANAGEMENT SURVEY AFTER THE GREAT EAST JAPAN EARTHQUAKE	KAWASAKI Yukihiro
6	Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident Is a Cause of Diabetes: Results from the Fukushima Health Management Survey	SATOH Hiroaki
7	Effect of Evacuation on Body Weight After the Great East Japan Earthquake	OHIRA Tetsuya
8	Evacuation and Risk of Hypertension After the Great East Japan Earthquake: The Fukushima Health Management Survey	OHIRA Tetsuya
9	Hypo-high-density Lipoprotein Cholesterolemia Caused by Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident: Results from the Fukushima Health Management Survey	SATOH Hiroaki
10	Prevalence of Renal Dysfunction among Evacuees and Non-evacuees after the Great East Earthquake: Results from the Fukushima Health Management Survey	SATOH Hiroaki
11	Persistent prevalence of polycythemia among evacuees 4 years after the Great East Japan Earthquake: A follow-up study	SAKAI Akira
12	Influence of Post-disaster Evacuation on Incidence of Metabolic Syndrome	HASHIMOTO Shigeatsu
13	Changes in Cardiovascular Risk Factors after the Great East Japan Earthquake: A Review of the Comprehensive Health Check in the Fukushima Health Management Survey	OHIRA Tetsuya
14	Changes in Hepatobiliary Enzyme Abnormality After the Great East Japan Earthquake: The Fukushima Health Management Survey	TAKAHASHI Atsushi
15	Effect of evacuation on liver function after the Fukushima Daiichi Nuclear Power Plant accident: The Fukushima Health Management Survey	TAKAHASHI Atsushi
16	Evacuation is a risk factor for diabetes development among evacuees of the Great East Japan earthquake: A 4-year follow-up of the Fukushima Health Management Survey	SATOH Hiroaki
17	The impact of evacuation on the incidence of chronic kidney disease after the Great East Japan Earthquake: The Fukushima Health Management Survey	HAYASHI Yoshimitsu

No.	Title	First Author
18	Impact of evacuation on trends in the prevalence, treatment, and control of hypertension before and after a disaster	NAGAI Masato
19	Effects of lifestyle on hepatobiliary enzyme abnormalities following the Fukushima Daiichi nuclear power plant accident:the Fukushima Health Management Survey	TAKAHASHI Atsushi
20	Trends in lifestyle-related diseases before and after the Great East Japan Earthquake: the Fukushima Health Management Survey	OHIRA Tetsuya
21	Effects of Psychological and Lifestyle Factors on Metabolic Syndrome Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey	TAKAHASHI Atsushi
22	Associations between Dietary Patterns and Cardiometabolic Risks in Japan: A Cross-Sectional Study from the Fukushima Health Management Survey, 2011–2015	MA Enbo
23	Relationship between the prevalence of polycythemia and factors observed in the Mental Health and Lifestyle Survey after the Great East Japan Earthquake	SAKAI Akira
24	Influence of post-disaster evacuation on childhood obesity and hyperlipidemia	KAWASAKI Yukihiro
25	Influence of post-disaster evacuation on incidence of hyperuricemia in residents of Fukushima prefecture; the Fukushima Health Management Survey	HASHIMOTO Shigeatsu
26	Relationship between physical activity/exercise habits and the frequency of new onset of lifestyle-related diseases after the Great East Japan Earthquake among residents in Fukushima: the Fukushima Health Management Survey	HAYASHI Fumikazu
27	Association between atrial fibrillation and white blood cell count after the Great East Japan Earthquake: An observational study from the Fukushima Health Management Survey	SUZUKI Hitoshi
28	Evacuation after the Great East Japan Earthquake is an independent factor associated with hyperuricemia: the Fukushima Health Management Survey	HONDA Kazuya
29	Relationship between risk of hyper- low-density lipoprotein cholesterolemia and evacuation after the Great East Japan Earthquake	SATOH Hiroaki
30	Dietary pattern and progression of impaired kidney function in Japanese adults: A longitudinal analysis for the Fukushima Health Management Survey. 2011-2015.	MA Enbo
31	Association between lifestyle habits and the prevalence of abdominal obesity after the Great East Japan Earthquake: The Fukushima Health Management Survey	UEMURA Mayu
32	Effects of radiation exposure resulting from the nuclear accident at the Fukushima Daiichi Nuclear Power Plant on the health of residents in the evacuation zones in Fukushima prefecture: the Fukushima Health Management Survey	SAKAI Akira
33	Lifestyle-related diseases caused by evacuation: Results of the Comprehensive Health Check in the Fukushima Health Management Survey	OHIRA Tetsuya
34	Trends in Lifestyle-related Diseases and their Risk Factors after the Fukushima Daiichi Nuclear Power Plant Accident: Results of the Comprehensive Health Check in the Fukushima Health Management Survey	OHIRA Tetsuya

【Mental Health and Lifestyle Survey】

No.	Title	First Author
1	Psychological Distress after The Great East Japan Earthquake and Fukushima Daiichi Nuclear Power Plant accident: results of a mental health and lifestyle survey through The Fukushima Health Management Survey in FY2011 and FY2012	YABE Hirooki
2	Suicide rates in the aftermath of the 2011 earthquake in Japan	OHTO Hitoshi
3	Psychological distress and the perception of radiation risks: the Fukushima Health Management Survey	SUZUKI Yuriko
4	The impact of evacuation location on lifestyle factors and needs for telephonic support: the Fukushima Health Management Survey	HORIKOSHI Naoko
5	The Great East Japan Earthquake: Tsunami and Nuclear Disaster	MAEDA Masaharu
6	Drinking Behavior and Mental Illness Among Evacuees in Fukushima Following the Great East Japan Earthquake: The Fukushima Health Management Survey	UEDA Yuka
7	Three-year trend survey of psychological distress, post-traumatic stress, and problem drinking among residents in the evacuation zone after the Fukushima Daiichi Nuclear Power Plant accident [The Fukushima Health Management Survey]	OE Misari
8	Association between psychological distress and dietary intake among evacuees after the Great East Japan Earthquake in a cross-sectional study: the Fukushima Health Management Survey	UEMURA Mayu
9	Fukushima Mental Health and Suicide	MAEDA Masaharu
10	Predictors of severe psychological distress trajectory after nuclear disaster: evidence from the Fukushima Health Management Survey	OE Misari
11	Association between evacuation condition and habitual physical activity in Great East Japan Earthquake evacuees: The Fukushima Health Management Survey	NAGAI Masato
12	Effectiveness of Telephone-based Intervention for People Living in Fukushima Disaster Area: Fukushima Health Management Survey	KASHIWAZAKI Yuya
13	Psychometric evaluation of the Japanese version of the Posttraumatic Stress Disorder Checklist in community dwellers following the Fukushima Daiichi nuclear power plant incident: The Fukushima Health Management Survey	IWASA Hajime
14	Severe Psychological Distress of Evacuees in Evacuation Zone Caused by The Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey	KUNII Yasuto
15	Psychological distress of residents in Kawauchi village, Fukushima Prefecture after the accident at Fukushima Daiichi Nuclear Power Station: the Fukushima Health Management Survey	YOSHIDA Koji
16	Evacuation after the Great East Japan Earthquake was associated with poor dietary intake: the Fukushima Health Management Survey	WEN Zhang
17	Diagnostic accuracy of Japanese posttraumatic stress measures after a complex disaster: The Fukushima Health Management Survey	SUZUKI Yuriko
18	Mental Health Status of Children After the Great East Japan Earthquake and Fukushima Daiichi Nuclear Power Plant Accident	MASHIKO Hirofumi
19	Changes of Posttraumatic Stress Responses in Evacuated Residents and Their Related Factors: A 3-year Follow-up study From the Fukushima Health Management Survey	OE Misari

No.	Title	First Author
20	Exercise Habits Are Important for the Mental Health of Children in Fukushima After the Fukushima Daiichi Disaster : The Fukushima Health Management Survey	ITAGAKI Shuntaro
21	Mental Health Consequences and Social Issues After the Fukushima Disaster	MAEDA Masaharu
22	Lifestyle-related factors that explain disaster-induced changes in socioeconomic status and poor subjective health: a cross-sectional study from the Fukushima Health Management Survey	NAGAI Masato
23	Effects of socioeconomic factors on cardiovascular related symptoms among residents in Fukushima after the Great East Japan Earthquake: A cross-sectional study in the Fukushima Health Management Survey	WEN Zhang
24	Perception of Radiation Risk as a Predictor of Mid-Term Mental Health after a Nuclear Disaster: The Fukushima Health Management Survey	MIURA Itaru
25	The Relationship between Starting to Drink and Psychological Distress, Sleep Disturbance after the Great East Japan Earthquake and Nuclear Disaster: The Fukushima Health Management Survey	ORUI Masatsugu
26	The characteristics of non-responders and respondents of a mental health survey among evacuees in a disaster: The Fukushima Health Management Survey	HORIKOSHI Naoko
27	The effect of telephone support to evacuees with risks of hypertension and diabetes mellitus after a disaster: the Fukushima Health Management Survey	HORIKOSHI Naoko
28	Telephone support for parents of children affected by the Great East Japan Earthquake: From the Fukushima Health Management Survey.	OIKAWA Yuichi
29	Trajectories of Emotional Symptoms and Peer Relationship Problems in Children after Nuclear Disaster: Evidence from the Fukushima Health Management Survey	OE Misari
30	The relationship between sleep time and mental health problems according to the Strengths and Difficulties Questionnaire in children after an earthquake disaster: The Fukushima Health Management Survey	ITAGAKI Shuntaro
31	The Relationship Between Functional Independence and Psychological Distress in Elderly Adults Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey	HARIGANE Mayumi
32	Lifestyle factors and social ties associated with the frequency of laughter after the Great East Japan Earthquake: Fukushima Health Management Survey	HIROSAKI Mayumi
33	Changes in risk perception of the health effects of radiation and mental health status: The Fukushima Health Management Survey	SUZUKI Yuriko
34	Associations of disaster-related and psychosocial factors with changes in smoking status after a disaster: A cross-sectional survey after the Great East Japan Earthquake	NAKANO Hironori
35	Psychometric evaluation of the simplified Japanese version of the Athens Insomnia Scale: The Fukushima Health Management Survey	IWASA Hajime
36	Reduction of radiation-related anxiety promoted wellbeing after the 2011 disaster: 'Fukushima Health Management Survey'	MURAKAMI Michio
37	Psychosocial effects of the Fukushima disaster and current tasks: Differences between natural and nuclear disasters	MAEDA Masaharu
38	Changes in the Mental Health Status of Adolescents Following the Fukushima Daiichi Nuclear Accident and Related Factors: Fukushima Health Management Survey	HAYASHI Fumikazu

No.	Title	First Author
39	Fukushima Nuclear Disaster: Multidimensional Psychosocial Issues and Challenges to Overcome Them	MAEDA Masaharu
40	Parental Recognition of Bullying and Associated Factors Among Children After the Fukushima Nuclear Disaster: A 3-Year Follow-Up Study From the Fukushima Health Management Survey	OE Misari
41	Risk Factors for Problem Drinking among Evacuees in Fukushima following the Great East Japan Earthquake: The Fukushima Health Management Survey	UEDA Yuka
42	The Psychosocial Consequences of Fukushima Disaster : What Are We Suffering From ?	MAEDA Masaharu
43	The association between self-reported sleep dissatisfaction after the Great East Japan Earthquake, and a deteriorated socioeconomic status in the evacuation area: the Fukushima Health Management Survey	WEN Zhang
44	Dietary pattern changes in Fukushima residents after the Great East Japan Earthquake: the Fukushima Health Management Survey 2011–2013	MA Enbo
45	Dealing with Community Mental Health post the Fukushima disaster: lessons learnt for the COVID-19 pandemic	MOMOI Maho
46	The Usefulness of Brief Telephonic Intervention After a Nuclear Crisis: Long-Term Community-Based Support for Fukushima Evacuees	HORIKOSHI Naoko
47	Practice of the telephone support to a caregivers with a child:The Fukushima Health Management Survey	OIKAWA Yuichi
48	Lifestyle Factors Associated with Prevalent and Exacerbated Musculoskeletal Pain after the Great East Japan Earthquake: a cross-sectional study from the Fukushima Health Management Survey	JINNOUCHI Hiroshige
49	Changes in drinking behavior among evacuees after the Fukushima Daiichi Nuclear Power Plant accident : the Fukushima Health Management Survey	YAGI Akiko
50	Association between Psychological Factors and Evacuation Status and the Incidence of Cardiovascular Diseases after the Great East Japan Earthquake: A Prospective Study of the Fukushima Health Management Survey	SANOHI Toshiki
51	Higher psychological distress experienced by evacuees relocating outside Fukushima after the nuclear accident: The Fukushima Health Management Survey	HARIGANE Mayumi
52	Association between post-traumatic stress disorder symptoms and bone fractures after the Great East Japan Earthquake in older adults: a prospective cohort study from the Fukushima Health Management Survey	HAYASHI Fumikazu
53	Trajectories of peer relationship problems and emotional symptoms in children 5 years after a nuclear disaster: Fukushima Health Management Survey	ITAGAKI Shuntaro
54	Analysis of direction of association between radiation risk perception and relocation using a random-intercept and cross lagged panel model: The Fukushima Health Management Survey	MURAKAMI Michio
55	The mental health status of children who have been evacuated or migrated from rural areas in Fukushima prefecture after the Fukushima daiichi nuclear power station accident:results from the Fukushima Health Management Survey	YOSHIDA Koji
56	The Association between Body Mass Index and Recovery from Post-traumatic Stress Disorder after the Nuclear Accident in Fukushima	NAGAI Masato

No.	Title	First Author
57	Association of Habitual Exercise with Adults' Mental Health Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey	MORIYAMA Nobuaki
58	Associations of the COVID-19 pandemic with the economic status and mental health of people affected by the Fukushima disaster using the difference-in-differences method: The Fukushima Health Management Survey	MURAKAMI Michio
59	Factors Hindering Social Participation among Older Residents from Evacuation Zones after the Nuclear Power Plant Accident in Fukushima: The Fukushima Health Management Survey	HARIGANE Mayumi
60	Disruption of Child Environments and Its Psychological Consequences After the Fukushima Disaster: a Narrative Review Based on the Ecological Systems Model	MIZUKI Rie
61	Association between Psychosocial Factors and Oral Symptoms among Residents in Fukushima after the Great East Japan Earthquake: A Cross-Sectional Study from the Fukushima Health Management Survey	FUNAKUBO Narumi
62	Suboptimal diabetic control and psychological burden after the triple disaster, in Japan: the Fukushima Health Management Survey	HIRAI Hiroyuki
63	Mental health consequences of the Three Mile Island, Chernobyl, and Fukushima nuclear disasters: A scoping review	OE Misari
64	Long-term, community-based approach for affected people having mental health and lifestyle issues after 2011 Fukushima disaster: Mental Health and Lifestyle Survey	MAEDA Masaharu
65	Socioeconomic Status, Damage-Related Conditions, and PTSD Following the Fukushima-Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey	SHIGA Tetsuya
66	Associations between external radiation doses and the risk of psychological distress or post-traumatic stress after the Fukushima Daiichi nuclear power plant accident: The Fukushima Health Management Survey	MIURA Itaru
67	Vulnerability of Evacuees Having No One to Consult after the Fukushima Nuclear Disaster: The Fukushima Health Management Survey	HORIKOSHI Naoko
68	Synergistic Effect of History of Cardiovascular Disease and Mental Distress on Post-Traumatic Stress Disorder after the Great East Japan Earthquake: The Fukushima Health Management Survey	TEZUKA Kazuhide
69	Post-traumatic responses and related issues: a chronological view	MAEDA Masaharu
70	Development of Fukushima disaster	KOBAYASHI Tomoyuki
71	Disaster-related health issues among older people	HARIGANE Mayumi
72	Telephonic Support	HORIKOSHI Naoko
73	Association between laughter and lifestyle diseases after the Great East Japan Earthquake: The Fukushima Health Management Survey	EGUCHI Eri
74	The Association between Parenting Confidence and Later Child Mental Health in the Area Affected by the Fukushima Nuclear Disaster: The Fukushima Health Management Survey	MIZUKI Rie

【Pregnancy and Birth Survey】

No.	Title	First Author
1	PREGNANCY AND BIRTH SURVEY AFTER THE GREAT EAST JAPAN EARTHQUAKE AND FUKUSHIMA DAIICHI NUCLEAR POWER PLANT ACCIDENT IN FUKUSHIMA PREFECTURE	FUJIMORI Keiya
2	Immediate effects of the Fukushima nuclear power plant disaster on depressive symptoms among mothers with infants: a prefectural-wide cross-sectional study from the Fukushima Health Management Survey	GOTO Aya
3	IMMEDIATE MENTAL CONSEQUENCES OF THE GREAT EAST JAPAN EARTHQUAKE AND FUKUSHIMA NUCLEAR POWER PLANT ACCIDENT ON MOTHERS EXPERIENCING MISCARRIAGE, ABORTION, AND STILLBIRTH: THE FUKUSHIMA HEALTH MANAGEMENT SURVEY	KOMIYA Hiromi
4	Impact of the Great East Japan Earthquake on feeding methods and newborn growth at 1 month postpartum: results from the Fukushima Health Management Survey	KYOZUKA Hyo
5	Factors Associated with Infant Feeding Methods after the Nuclear Power Plant Accident in Fukushima: Data from the Pregnancy and Birth Survey for the Fiscal Year 2011 Fukushima Health Management Survey	ISHII Kayoko
6	Obstetric outcomes in women in Fukushima prefecture during and after the Great East Japan Earthquake and Fukushima nuclear power plant accident: The Fukushima Health Management Survey	HAYASHI Masako
7	Effect of medical institution change on gestational duration after the Great East Japan Earthquake: The Fukushima Health Management Survey	SUZUKI Kohta
8	Pregnancy and Birth Survey of the Fukushima Health Management Survey: Review of 4 Surveys Conducted Annually After the Disaster	ISHII Kayoko
9	Fukushima Mothers' Concerns and Associated Factors After the Fukushima Nuclear Power Plant Disaster: Analysis of Qualitative Data From the Fukushima Health Management Survey, 2011 to 2013	ITO Shinya
10	The Fukushima Nuclear Accident Affected Mothers' Depression but Not Maternal Confidence	GOTO Aya
11	Impact of the Great East Japan Earthquake and Fukushima Nuclear Power Plant Accident on Assisted Reproductive Technology in Fukushima Prefecture: The Fukushima Health Management Survey	HAYASHI Masako
12	Influence of the Great East Japan Earthquake and the Fukushima Daiichi nuclear disaster on the birth weight of newborns in Fukushima Prefecture: Fukushima Health Management Survey	YASUDA Shun
13	Content and characteristics of mothers receiving telephone counseling following the Fukushima Nuclear Power Plant accident : Data from the pregnancy and birth survey of the Fukushima Health Management Survey, 2011	ISHII Kayoko
14	Overview of the pregnancy and birth survey section of the Fukushima Health Management Survey: Focus on mothers' anxieties about radioactive exposure	ITO Shinya
15	The effect of the Great East Japan Earthquake on hypertensive disorders during pregnancy: a study from the Fukushima Health Management Survey	KYOZUKA Hyo

No.	Title	First Author
16	Development and Implementation of an Internet Survey to Assess Community Health in the Face of a Health Crisis: Data from the Pregnancy and Birth Survey of the Fukushima Health Management Survey, 2016	NAKANO Hironori
17	Factors Associated With Intention of Future Pregnancy Among Women Affected by the Fukushima Nuclear Accident: Analysis of Fukushima Health Management Survey Data From 2012 to 2014	GOTO Aya
18	Lives And Depressive Tendencies of Pregnant Women And Nursing Mothers Evacuated Due to The 2011 Great East Japan Earthquake: An Investigation Based on The Pregnancy And Birth Survey of The FY2012 Fukushima Health Management Survey	OTA Misao
19	Effects on Perinatal Outcomes of External Radiation Dose to Pregnant Women from the Fukushima Daiichi Nuclear Power Plant Accident after the Great East Japan Earthquake: the Fukushima Health Management Survey (FHMS)	YASUDA Shun
20	Trends in Pregnancy and Birth after the Great East Japan Earthquake and Fukushima Daiichi Nuclear Power Plant Accident in the Fukushima Prefecture: A 7-year survey	FUJIMORI Keiya
21	A mother's work is to worry: Accepting maternal concerns during a health crisis	GOTO Aya
22	Postpartum mental health of mothers in Fukushima: insights from the Fukushima Health Management Survey (FHMS) 8-year trends	ISHII Kayoko

【Others】

No.	Title	First Author
1	Study Protocol for the Fukushima Health Management Survey	YASUMURA Seiji
2	Tenth Warren K. Sinclair Keynote Address—The Fukushima Nuclear Power Plant Accident and Comprehensive Health Risk Management	YAMASHITA Shunichi
3	EVACUATION EFFECT ON EXCESS MORTALITY AMONG INSTITUTIONALIZED ELDERLY AFTER THE FUKUSHIMA DAIICHI NUCLEAR POWER PLANT ACCIDENT	YASUMURA Seiji
4	Meeting report: suggestions for studies on future health risks following the Fukushima accident	INAMASU Tomoko
5	From Hiroshima and Nagasaki to Fukushima 2 Health effects of radiation and other health problems in the aftermath of nuclear accidents, with an emphasis on Fukushima	HASEGAWA Arifumi
6	From Hiroshima and Nagasaki to Fukushima 3 Nuclear disasters and health: lessons learned, challenges, and proposals	OHTSURU Akira
7	Emergency Responses and Health Consequences after the Fukushima Accident;Evacuation and Relocation	HASEGAWA Arifumi
8	Comprehensive Health Risk Management after the Fukushima Nuclear Power Plant Accident	YAMASHITA Shunichi
9	After Fukushima: Creating a dialogue (letter)	MIYAZAKI Makoto
10	Risk Analysis as Regulatory Science: Toward The Establishment of Standards	MURAKAMI Michio
11	The Unit Use Situation and Problems of the Examination of Blood Count in Fukushima	TANAKA Kyoko
12	From Devastation to Recovery and Revival in the Aftermath of Fukushima's Nuclear Power Plants Accident	OHTO Hitoshi
13	Roles and Activities of International Organizations After the Fukushima Accident	TANIGAWA Koichi
14	Communicating With Residents About Risks Following the Fukushima Nuclear Accident	MURAKAMI Michio
15	Academic Responses to Fukushima Disaster: Three New Radiation Disaster Curricula	YASUI Kiyotaka
16	Mental Health and Related Factors of Hospital Nurses: An Investigation Conducted 4 Years After the Fukushima Disaster	NUKUI Hiroshi
17	Fukushima Health Management Survey and related issues	YASUMURA Seiji
18	Evaluating Risk Communication After the Fukushima Disaster Based on Nudge Theory	MURAKAMI Michio
19	Using and Explaining Individual Dosimetry Data: Case Study of Four Municipalities in Fukushima	MIYAZAKI Makoto
20	Risk Perception and Anxiety Regarding Radiation after the 2011 Fukushima Nuclear Power Plant Accident: A Systematic Qualitative Review	TAKEBAYASHI Yoshitake
21	Additional risk of diabetes exceeds the increased risk of cancer caused by radiation exposure after the Fukushima disaster	MURAKAMI Michio

No.	Title	First Author
22	Effect of Radiological Countermeasures on Subjective Well-Being and Radiation Anxiety after the 2011 Disaster: The Fukushima Health Management Survey	MURAKAMI Michio
23	New "loss of happy life expectancy" indicator and its use in risk comparison after Fukushima disaster	MURAKAMI Michio
24	Diversity of Concerns in Recovery after a Nuclear Accident: A Perspective from Fukushima	SATO Akiko
25	Importance of risk comparison for individual and societal decision-making after the Fukushima disaster	MURAKAMI Michio
26	Medical and Health Surveillance in Postaccident Recovery: Experience after Fukushima	TANIGAWA Koichi
27	Building risk communication capabilities among professionals: seven essential characteristics of risk communication	MURAKAMI Michio
28	Current status of the Fukushima Health Management Survey	KUMAGAI Atsushi
29	Lower Psychological Distress Levels among Returnees Compared with Evacuees after the Fukushima Nuclear Accident	MURAKAMI Michio
30	Modeling reconstruction-related behavior and evaluation of influences of major information sources	SHIRAI Kosuke
31	Trends in the Incidence of Sudden Deaths and Heart Diseases in Fukushima After the Great East Japan Earthquake	TAKIGUCHI Mai
32	Relationships between radiation risk perception and health anxiety, and contribution of mindfulness to alleviating psychological distress after the Fukushima accident: Cross-sectional study using a path model	KASHIWAZAKI Yuya
33	Meeting report: IAEA consultancy meeting on low-dose radiation for patients and population	MURAKAMI Michio
34	The relationship between geographical region and perceptions of radiation risk after the Fukushima accident: The mediational role of knowledge	KASHIWAZAKI Yuya
35	Initial turmoil in emergency medical settings	HASEGAWA Arifumi
36	Radiation risk perception after the Fukushima disaster	MURAKAMI Michio