

- このスライドは、非営利かつ個人的な目的に限り閲覧することができます。

The following presentation slides are shared with symposium participants exclusively for personal, non-commercial, educational purposes.

- このスライドの著作権は、講演の発表者本人に帰属します(図表等の引用箇所は除く)。如何なる国・地域においても、また紙媒体やインターネット・電子データなど形態に関わらず、スライドの全部または一部を無断で複製、転載、配布、送信、放送、貸与、翻訳、販売、変造、二次的著作物を作成すること等は、固く禁止します。

Copyright of these slides belongs to the presenter and/or the Radiation Medical Science Center for the Fukushima Health Management Survey, Fukushima Medical University (except figures, tables, etc., cited from other sources). It is strictly prohibited to reproduce, reprint, distribute, transmit, broadcast, loan, translate, sell, modify, and/or create derivatives of any slides, in any physical or electronic medium anywhere in the world.

2024年 福島県立医科大学『県民健康調査』国際シンポジウム  
公立大学法人福島県立医科大学放射線医学県民健康管理センター  
国際シンポジウム事務局(広報・国際連携室)

✉ kenkani@fmu.ac.jp Tel: 024-581-5454(平日9~17時)

2024 Fukushima Medical University International Symposium on the Fukushima Health Management Survey

Secretariat of International Symposium

Office of Public Communications and International Cooperation, Radiation Medical Science Center for the Fukushima Health Management Survey, Fukushima Medical University

✉ kenkani@fmu.ac.jp, TEL: +81-24-581-5454 (Weekday, 9a.m. - 5 p.m. JST)

# Overview of the Fukushima Health Management Survey



**YASUMURA Seiji**

**Radiation Medical Science Center for the  
Fukushima Health Management Survey,  
Fukushima Medical University**

# “Great East Japan Earthquake” Triple Disaster in Fukushima

By Prefecture:

Iwate 4,675 deceased (1,110 missing)

Miyagi 9,639 deceased (1,215 missing)

Fukushima Prefecture

1,598 deceased and 224 still “missing”  
due to earthquake and/or tsunami

2,337 “disaster-related deaths”  
but no deaths caused by radiation  
(As of March, 2023)

## Earthquake



Fukushima City

## Tsunami



Minamisoma City

## Nuclear Power Plant Accident as a man-made disaster



Fukushima Dai-ichi  
Nuclear Power Plant






Figure 2. Changes in ambient air radiation doses rates






Figure 3. Changes of ambient air dose rates in Fukushima City, Iwaki City, and Aizuwakamatsu City

Source: Reconstruction Agency. "Current Situation of Damage from Harmful Rumors and Countermeasures." 2019



Fukushima Daiichi  
 NPP

(As of April 22, 2011)



Time Course Map for all areas of Fukushima (as of May, 2011) and conceptual scheme of evacuation-designated zones (as of April 22, 2011)

(<https://www.pref.fukushima.lg.jp/sec/298/keijihenka-201105.html>  
 (Fukushima Prefectural Centre for Environmental Creation) )

# Summary of disaster-related fatalities from the Great East Japan Earthquake, by prefectures and age groups

Prefectures	Total	Difference from the previous review	By age groups		
			Ages 20 and younger	Ages 21 to 65	Ages 66 and older
Iwate	470	(0)	1	64	405
Miyagi	931	(1)	2	119	810
Fukushima	2,337	(4)	34	233	2,100
Other prefectures	56	(0)	3	10	43
Total	3,794	(5)	40	426	3,358

Fukushima has more disaster-related deaths, predominantly among older citizens.

(As of March 31, 2023)

**1,598 persons of direct death**

(Data from Reconstruction Agency: Tabulation by YASUMURA)

# Purpose of the Fukushima Health Management Survey

From the 2<sup>nd</sup> Fukushima Prefectural Oversight Committee (June 18, 2011)

(Reference)

Framework of Health Management of Fukushima residents


1 . Background

2 . Purpose

Relieve anxiety after the nuclear accident

Protect and promote the long-term health of Fukushima residents

3 . Implementation




What is the FHMS?

Following the release of radioactive materials and evacuation of residents after the nuclear accident, Fukushima prefecture has implemented the 'Fukushima Health Management Survey' to estimate external exposure doses and to ascertain the residents' health status, essential activities for prevention, early detection, and treatment of disease. The goal is to protect and promote the long-term health of Fukushima Residents.

(Fukushima prefecture HP:<https://www.pref.fukushima.lg.jp/sec/21045b/ps-kenkocyosa-gaiyo.html> )








# Fukushima Health Management Survey (Overview)



# Outline of the Fukushima Health Management Survey

■ **Basic Survey** to estimate individual external exposure dose for four months after the accident and **Detailed Surveys** to understand individual health conditions


Type	Participants	Number	Method of survey & response
<b>Basic Survey</b>	Residents of and visitors to Fukushima during the disaster	Approx. 2.06 million	 Self-report questionnaire to be submitted by post
<b>Detailed Surveys</b>	<b>Preliminary Baseline Survey:</b> All residents aged 18 or younger at the time of the disaster	Approx. 368,000	 Thyroid examinations are performed at schools, medical facilities, and public facilities.
	<b>Thyroid Ultrasound Examination (TUE)</b>	<b>Full-Scale Surveys:</b> In addition to those mentioned above, people who were born from April 2, 2011 to April 1, 2012	
<b>Comprehensive Health Check (CHC)</b>	Residents of 13 municipalities designated as evacuation zones (Other municipalities are covered by the prefectural health check program)	Approx. 210,000	 Health checks are provided at medical facilities, municipal health check venues, etc.
<b>Mental Health and Lifestyle Survey (MHLS)</b>	Residents of 13 municipalities designated as evacuation zones	Approx. 210,000	 Self-report questionnaire to be submitted by post or online
<b>Pregnancy and Birth Survey (PBS)</b>	<b>Main Survey:</b> Those who received a Maternal and Child Handbook in Fukushima	12,000 - 16,000/year	 Self-report questionnaire to be submitted by post or online
	<b>Follow-up Survey:</b> Those who give birth in Fukushima Respondents to the Main Survey	5,000 - 7,000/year	

# Basic Survey – Results

Source: 48th meeting of the Oversight Committee for the Fukushima Health Management Survey (July. 20, 2023)

## Summary of external exposure (effective dose) during the first 4 months after the disaster

As of Mar. 31, 2023



Oversight Committee

The dose estimation results obtained from this survey were considered as “not being at a level where health effects can be confirmed with a statistical significance in light of the scientific knowledge obtained to date.”

# Thyroid Ultrasound Examination – Method


**Preliminary baseline survey:** Approx. 368,000

All residents aged 18 years or younger at the time of the disaster

**Full-scale survey :** Approx. 381,000

In addition, those who were born from April 2, 2011 to April 1, 2012

## Procedure





# Advantages and Disadvantages of Thyroid Examinations

## Advantages


- Analysis of results provide information regarding radiation effects in Fukushima Prefecture
- If no irregularities are found, it may bring peace of mind.
- Early diagnosis reduces the risk of recurrence and complications.

## Disadvantages

- Participants may have anxieties regarding the examination results.
- Burdens may increase from thyroid cancer treatment and/or follow-ups.
- Extremely low-risk cancer may be overdiagnosed.



## Efforts to promote understandings of thyroid examinations



Explanation about the examination at primary examination venues



Visiting lectures for students



Explanatory Animation Video


# Results of the Thyroid Ultrasound Examination

Surveys		Preliminary Baseline Survey	Full-Scale Survey				Survey for Age 25 <sup>5)</sup>	Survey for Age 30 <sup>5)</sup>	
Survey Rounds		1st round <sup>1)</sup>	2nd round <sup>2)</sup>	3rd round <sup>2)</sup>	4th round <sup>4)</sup>	5th round <sup>5)</sup>			
Primary Examination	Fiscal Year	2011-13	2014-15	2016-17	2018-19	2020-22	2017-	2022-	
	Survey Population		367,637	381,237	336,667	294,228	252,938	129,006	22,625
	Participation Rate		81.7%	71.0%	64.7%	62.3%	45.0%	9.2%	6.9%
	Result	A1	51.5%	40.2%	35.1%	33.6%	28.8%	42.5%	44.6%
		A2	47.8%	59.0%	64.2%	65.6%	70.0%	52.0%	46.9%
<b>B</b>		<b>0.8%</b>	<b>0.8%</b>	<b>0.7%</b>	<b>0.8%</b>	<b>1.2%</b>	<b>5.5%</b>	<b>8.6%</b>	
C		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Confirmatory Examination	Survey Population		2,293	2,230	1,502	1,394	1,346	647	134
	Participation Rate		92.9%	84.2%	73.5%	74.3%	78.8%	84.2%	79.9%
	FNAC		39.6%	14.7%	8.2%	9.9%	9.5%	10.0%	14.6%
	<b>Malignant or suspicious for malignancy</b>		<b>116</b>	<b>71</b>	<b>31</b>	<b>39</b>	<b>43</b>	<b>23</b>	<b>5</b>
Insurance Treatment	Treatment (Surgery)		102	56 <sup>3)</sup>	29	34	34	17	3
	Pathological diagnosis	Papillary carcinoma	100	55 <sup>3)</sup>	29	34	34	16	3
		Other type of cancer	1 (poorly differentiated cancer)	1				1 (follicular cancer)	
		Other	1 (benign)						

<b>Total</b>
<b>328</b>
<b>275</b>
<b>271</b>
<b>3</b>
<b>1</b>

1) March 31, 2018; 2) March 31, 2021; 3) March 31, 2022; 4) June 30, 2022; 5) September 30, 2023)

### Average absorbed dose to the thyroid in the first year to infants for each evacuation scenario



UNSCEAR  
2020/2021 Report page 150


Average absorbed dose to the thyroid in the first year to infants  
**About 2mGy-30mGy**



UNSCEAR 2008 Report

Chernobyl Accident	# of people (x1,000)	Mean effective dose (mSv)		Mean Thyroid dose (mGy)
		External	Internal	
Belarus	25	30	6	1,100
Russia	0.19	25	10	440
Ukraine	90	20	10	330

# Study of the association between radiation dose and the development of malignant/suspected malignant thyroid tumors





## Nested case-control study

The 21st Thyroid Examination Evaluation Subcommittee

### Matching Model 1

Case group 154 people  
Control group 462 people



- Matching Items
- \* Sex, Age
  - \* Examination status at the time of diagnosis



### Matching Model 2

Case group 131 people  
Control group 1310 people

- Matching Items
- \* Matching Model 1
  - + \* Pattern of Thyroid Examination (TUE)





### 1<sup>st</sup> round

Based on comprehensive evaluation of the results of the Preliminary Baseline Survey, thyroid cancers found thus far cannot be attributed to radiation from the Fukushima accident.

#### Because...

- Exposure doses in the Fukushima accident were generally lower.
- Latent period of thyroid cancers is short (approximately one to four years).
- Cancers have not been found in those aged five and younger.
- There are no significant regional differences in detection rates.

From "Interim Report on the Fukushima Health Management Survey"

### 2<sup>nd</sup> round

Oversight Committee confirmed its subcommittee's view that no causal relationship could be established between radiation exposure and prevalence of thyroid cancer found in the 2nd-round survey.

(Documents for the 36<sup>th</sup> Oversight Committee meeting)

#### Because...

- Analyses of an association between thyroid cancer detection rates and thyroid doses estimated by UNSCEAR revealed no dose-effect relationship.
- The age distribution of thyroid cancers in Fukushima is different from that of Chernobyl.

### Through the 4<sup>th</sup> round

The evaluation has concluded that there is no evidence of an association between thyroid cancer and radiation exposure found from the Preliminary Baseline Survey through the fourth-round survey.

(The 21st Thyroid Examination Evaluation Subcommittee)

#### Because...

- No association (dose-effect relationship) is observed in the analysis of the estimated exposure doses by region or the estimated exposure doses for individuals and the detection rate of malignant or suspected malignancy.

# Thyroid Ultrasound Examination – Support

## ○ Support for Primary Examination

### The Diagnosis Explanation Booth

- Set up at public location/facility
- Provisional explanation by a doctor showing the scanned image




In the booth (image)

Provided explanation to  
**34,696** people since FY2015

(The figure as of the end of Sep. 2023)

## ○ Leaflet

- Distribution at the examination venues
- Explanation of nodules & cysts, diagnostic criteria, follow-up exams, etc.




## ○ Support for Confirmatory Examination

### Thyroid Support Team

#### 【Members】

Nurse, Psychiatric Social Worker, Clinical Psychologist, Medical Social Worker, etc.



#### 【Activities】

Psychosocial support for the confirmatory examination examinees and their families

Supported **2,511** people (**5,098** times) since FY2013

(Figures as of the end of Sep. 2023)

## ○ Exclusive Medical Call Center

#### 【Coverage】

Thyroid exam patients and their families

**452** calls since  
FY2016

(The figure as of the end of March 2023)


#### 【Activities】

- Medical consultation on the diagnosis and thyroid diseases, etc.
- Doctors respond while checking the result and scan.

# Comprehensive Health Check – Outline

**Covered Population: About 210,000**  
 = same as Mental Health and Lifestyle Survey

Residents of nationally designated evacuation zones as of 2011



Those who were recommended to have follow-up based on the results of the Basic Survey

## Age groups and check items

Age groups	Check items
0 – 6 (Preschool)	Height, weight <b>[Additional items on request]</b> CBC (complete blood count: red cell count, differential white cell count, platelet count, hematocrit, hemoglobin)
7 - 15 (Elementary school Grade 1 – Junior high school Grade 3)	Height, weight, blood pressure, CBC <b>[Additional items on request]</b> Blood biochemistry (AST, ALT, $\gamma$ GT, TG, HDL-C, LDL-C, HbA1c, plasma glucose, serum creatinine, uric acid)
16 or older	Height, weight, abdominal circumference or BMI, blood pressure, <u>CBC</u> , urine protein, urine sugar, <u>urine occult blood</u> ), blood biochemistry (AST, ALT, $\gamma$ GT, TG, HDL-C, LDL-C, HbA1c, plasma glucose, <u>serum creatinine</u> , <u>estimated glomerular filtration rate [eGFR]</u> , uric acid)

※The underlined items are not usually performed in Specific Health Checkups.

# Comprehensive Health Check (CHC) – Results

41<sup>st</sup>, 44<sup>th</sup>, 48<sup>th</sup> and 50<sup>th</sup> Oversight Committee for the Fukushima Health Management

**No findings indicating radiation effects were found in the results of the CHC Survey**

Health status after the 3.11 Great East Japan Earthquake (ages 15 years old or younger)

- Obesity has improved, but dyslipidemia has persisted.

Diseases that are considered as being attributable to changes in lifestyle including evacuation due to the disaster (ages 16 years old or older)

- Obesity
- Hypertension
- Dyslipidemia (low HDL-C)
- Diabetes
- Renal dysfunction
- Hyperuricemia
- Hepatic dysfunction
- Polycythemia

Risk factors for circulatory diseases are increasing.

Diseases that had increased after the disaster but reduced thereafter (ages 16 years or older)


- Blood pressure, LDL-C: Improved treatment rate
- Hepatobiliary system enzyme abnormality (hepatic dysfunction): Daily exercise and eating of breakfast



# Comprehensive Health Check – Support

Radiation Medical Science Center

13 municipalities designated as evacuation zones



Explanation/proposal to local gov't



- Results by each municipality
- Health promotion suiting the needs of each municipality etc.


Report at briefing sessions with 13 municipalities

Conducted **342** times From FY2013 to FY2022

Deepening understanding and raising awareness of health condition

Used for promotional activities and health advice etc.

“Health Seminars” at health check results reporting meetings, etc.



Learn and apply knowledge from our leaflet

Residents



Health checks



Participation



(Health lecture by a doctor)



(Blood glucose measurement)


Conducted **177** times from FY2016 to FY2022

# Mental Health and Lifestyle Survey – Outline

**Covered Population (FY2021)** = same as Comprehensive Health Check


196,569 people who resided in 13 municipalities designated as evacuation zones by Japanese government. These people are divided into 5 age groups (ages 0-3, 4-6, 7-12, 13-15, 16+ years).

Procedures from Submission of Survey Questionnaire to Receipt of Support  
Care in Collaboration among Relevant Organizations and Physicians



# Mental Health and Lifestyle Survey – Results


## General mental health measured by K6 (Adults: ages 16 years old or older) Trends in K6 score of 13 points or higher



※The percentage of those scoring 13 points or higher among general Japanese population unaffected by any disaster is 3.0% (Kawakami, 2007)

# Mental Health and Lifestyle Survey – Results


## Trends in SDQ score of 16 or higher among children



A child is considered to have some problematic behavior, and to require specialized support, if the SDQ score is 16 or higher. The percentage of high-risk children reported in a survey conducted among disaster-unaaffected children was 9.5% (\*2)

# Mental Health and Lifestyle Survey – Support

## Addressing the People with High Risk



### Brochure




- Health information
- Referring to a medical facility or a consultation center

### Telephone Support



- Physical and mental health check
- Identifying needs
- Professional advice

## Approaching to Groups to Reduce Risk



### Feedback of knowledge



### Exhibiting at health events

- Dialogue with residents
- Information dissemination

### Visiting Covered Municipalities

- Briefing sessions with 13 municipalities
- Advice based on the results (health workers and health & welfare officials)

### Organizing Symposiums

- Providing information useful for support activities (Specialists, teachers, students, etc.)



### Promotional activities



# Pregnancy and Birth Survey – Outline

**Main Survey:** Covered population 12,000 - 16,000


- Those who were pregnant and gave birth in Fukushima Pref. from FY2011 to FY2020

**Follow-up Survey:** Covered population 5,200 - 7,300

- Those who responded to the Main Survey from FY2011 to FY2014



Midwives, public health nurses, and certified public psychologists provide consultation for anxieties and/or worries



# Pregnancy and Birth Survey – Results



44<sup>th</sup> Oversight Committee for the Fukushima Health Management Survey

	Preterm deliveries (%)		Low birth weight infants (%)		Congenital anomalies (%)	
	Fukushima	National*	Fukushima	National*	Fukushima	General Incidence
FY 2011	4.6	5.7	8.6	9.6	2.85	2-3**
FY 2012	5.6	5.7	9.2	9.6	2.39	
FY 2013	5.2	5.8	9.6	9.6	2.35	
FY 2014	5.3	5.7	9.8	9.5	2.30	
FY 2015	5.6	5.6	9.4	9.5	2.24	
FY 2016	5.3	5.6	9.2	9.4	2.55	
FY 2017	5.3	5.7	9.2	9.4	2.38	
FY2018	5.2	5.6	9.0	9.4	2.19	
FY2019	5.1	5.6	9.1	9.4	2.71	
FY2020	4.4	5.5	8.1	9.2	2.21	

\* Vital Statistics (Ministry of Health, Labor and Welfare) \*\* Guidelines for Obstetrical Practice in Japan 2023

# Pregnancy and Birth Survey – Support

Source: 44th meeting of the Oversight Committee for the Fukushima Health Management Survey (May 17, 2022)



## Summary

Radiation Medical Science Center for the Fukushima Health Management Survey


KAMIYA Kenji, OHTO Hitoshi, YASUMURA Seiji

### **[For the future]**

As we approach the 10-year anniversary of the earthquake and the start of the survey, it is necessary to establish a new framework to understand the needs that have become increasingly diverse over time and to provide information, while conducting public relations activities in an engaging way, by utilizing various media and human resources for communication with the people of Fukushima.

In addition, it is necessary to continue international collaboration activities in order to obtain cooperation and support from international organizations related to radiation, and scientific advice and support from overseas experts, etc., in order to elucidate health effects related to the nuclear accident and to address people's anxieties.

(Report of the Fukushima Health Management Survey 2011-2020)



## Risk perception of heritable radiation health effects, by residential area

Ministry of environment: FY2021 Web Survey result on risk perception of radiation health effects (Conduct in March 2022) <https://www.env.go.jp/chemi/rhm/portal/communicate/result/r3.html>

Ministry of environment: FY2022 Web Survey result on risk perception of radiation health effects (Conduct in March 2023) <https://www.env.go.jp/chemi/rhm/portal/communicate/result/r4.html>



## **What problems of the Fukushima nuclear accident continue to the present day?**

---

...The word “revitalization” is often used and its definition is “the process of making something grow, develop, or become successful again” (Cambridge Dictionary). It is obvious that the goal is “revitalization,” but considering calmly the situation, pessimistic notions persist that even “restoration,” in fact “returning something to its earlier condition” (Cambridge Dictionary), may be difficult.

...What is important is human support. It is the restoration and revitalization of the lives of the people who lived there and their families. This may be connected to employment or livelihood support, but the core part of the problem is whether the dignity of their “place of living,” which they have not been aware of until now, is being maintained. For the people of Fukushima Prefecture, the “place of living” is considered as “the area that was contaminated,” “the area where people are not certain if the food is safe to eat,” and “the area where people from other prefectures are afraid to come,” and the fact that these rumors are still continuing today. This is quite different from other disasters...

## 3.11: Sharing lessons of Fukushima with Japan and the world



Fukushima Health  
Management Survey



*We are here  
to support your health!*



Radiation Medical Science Center  
For the Fukushima Health Management Survey

- このスライドは、非営利かつ個人的な目的に限り閲覧することができます。

The following presentation slides are shared with symposium participants exclusively for personal, non-commercial, educational purposes.

- このスライドの著作権は、講演の発表者本人に帰属します(図表等の引用箇所は除く)。如何なる国・地域においても、また紙媒体やインターネット・電子データなど形態に関わらず、スライドの全部または一部を無断で複製、転載、配布、送信、放送、貸与、翻訳、販売、変造、二次的著作物を作成すること等は、固く禁止します。

Copyright of these slides belongs to the presenter and/or the Radiation Medical Science Center for the Fukushima Health Management Survey, Fukushima Medical University (except figures, tables, etc., cited from other sources). It is strictly prohibited to reproduce, reprint, distribute, transmit, broadcast, loan, translate, sell, modify, and/or create derivatives of any slides, in any physical or electronic medium anywhere in the world.

2024年 福島県立医科大学『県民健康調査』国際シンポジウム  
公立大学法人福島県立医科大学放射線医学県民健康管理センター  
国際シンポジウム事務局(広報・国際連携室)

✉ kenkani@fmu.ac.jp Tel: 024-581-5454(平日9~17時)

2024 Fukushima Medical University International Symposium on the Fukushima Health Management Survey

Secretariat of International Symposium

Office of Public Communications and International Cooperation, Radiation Medical Science Center for the Fukushima Health Management Survey, Fukushima Medical University

✉ kenkani@fmu.ac.jp, TEL: +81-24-581-5454 (Weekday, 9a.m. - 5 p.m. JST)